

EPDM Washers and Roofing Fastener Range

Practical product information for roofing, cladding and construction specifications.

ROOFING / CLADDING / STEEL

Product-family options updated 13 November 2026

Confirm the ordered variant against its approved drawing and application.

Range overview

Bonded washers and membrane-roof fasteners are selected with the roof detail. Confirm panel profile, screw head, washer backing and aperture, sealing compound, support and the roof-system fastening schedule.

Selection and installation review

01 Identify the panel or membrane system, support type and exact fastening position.

02 Match washer profile, outside diameter, aperture and backing to the screw and roof profile.


03 Confirm compound, material compatibility and required temperature or ageing documents for the specified variant.

04 For membrane assemblies, verify the deck, plate or tube, insulation build-up and approved system detail.

05 Seat the washer using the selected assembly instructions and inspect for displacement, damage or bond separation.

06 For wind or structural requirements, use the project design and evidence for the complete connection or roof assembly.

Listed product families

PRODUCT FAMILY / CODE	CURRENTLY LISTED OPTIONS
 **Purlin Tail Screw for Flexible Membrane Roofing** BFS-FRS-001 Flexible Membrane Roofing Fasteners Fastener for selected membrane-roof and insulation fixing assemblies. Specify the screw together with its plate or tube, deck type, insulation thickness and system fastening schedule.	Material: 10B21 carbon steel, case-hardened Sizes: #12-#15 (5.5-7.0 mm) Length: 50-150 mm Head: Hex washer, 8 mm socket
 **EPDM Sealing Washer with Bonded Metal Ring** BFS-WAS-001 Bonded Sealing & Profiled Washers Bonded EPDM and metal washer for compatible roofing fastener assemblies. Match the hole, outside diameter, backing material and compound to the screw and panel detail.	Material: EPDM rubber hot-vulcanized to zinc-plated steel or aluminum ring Outer diameter: 10-30 mm Aperture: 4.0-10.0 mm
 **EPDM Washer for Translucent Roof Panels** BFS-WAS-003 Bonded Sealing & Profiled Washers Sealing washer for compatible translucent-panel fixings. Select the profile and compound with the panel supplier, allowing for movement and controlled compression.	Material: EPDM rubber with bonded metal insert Outer diameter: 20-32 mm
 **304 Stainless Steel Bonded EPDM Washer** BFS-WAS-004 Bonded Sealing & Profiled Washers 304 stainless backing washer bonded to EPDM for selected external fastener assemblies. Specify the backing thickness, aperture, seal profile and compound.	Material: 304 stainless steel plate + EPDM seal Outer diameter: 16-30 mm Aperture: 5.5-7.0 mm

PRODUCT FAMILY / CODE	CURRENTLY LISTED OPTIONS
 **Cyclone Washer for Profiled Roof Crest Fixing** BFS-WAS-002 Bonded Sealing & Profiled Washers Profiled metal load-spreading washer for compatible roof crest fastenings. Match the washer curvature, screw and seal to the panel profile and engineered wind-load detail.	Material: 304 stainless steel (S3 series) or zinc-coated carbon steel (C3 series), bonded EPDM seal

Evidence and order review

Match test or inspection documents to the proposed variant, substrate, finish and assembly. Point length, nominal size, material name or coating label alone does not establish performance or service life. Confirm the ordered drawing revision and required evidence before production.

This range sheet summarizes website-listed product-family options. It is not a test certificate, a product-specific declaration or an assembly approval. Request the current drawing and available supporting documents for the selected configuration.